

PLANET

Acoustics & Architecture



WoodEdge Panels®

*Plywood & MDF
Acoustic Walls / Ceilings*



New Factory & Showroom.

60 Belmont Avenue
Rivervale 6013

Tel: +61 8 6885 5300

Mobile 0433 486 499

Email: enquiries@paa.net.au

www.paa.net.au

Wood Edge Panels

Design your Panels

1. Select preferred substrate

MEdge:

Standard MDF
Fire Rated MDF

MREdge :

Moisture Resistant MDF
Black MDF


PLEdge:

Plywood


NCEdge

(Flame Shield)


Non-combustable
Magnesium silicate board



2. Select preferred size



1200x2400




Custom size available


3. Select preferred profile

Nominate desired acoustic value or Nominate percentage of open area


Profile 05/125S




Profile 05/250D




Profile 30/50D



Profile S100/25



Profile S250/25




4. Select preferred finish

a) Veneer finish range.

Hoop Pine




Jarrah



Tasmanian Oak



Spotted Gum



Blackwood




Blackbutt



Walnut



Queensland Maple




b) Also available in raw, laminate or any solid colour from our standard colour chart or from Dulux colour range.

5. Design Considerations

PAA Wood Panels offer an extensive selection of perforation and slot options with a substrate selections of MDF or plywood. With our range of decorative surface finishes and PAA Acoustic Reduction (ACRE) lining, PAA Wood Panels may be tailored finished to meet specific aesthetic and acoustic requirements, achieving acoustic ratings of NRC up to 0.9.

Wood Panel Features:



- WA based factory minimising lead time
- Edge profiling available to suit most design intent
- Quick and easy installation
- Supply and install services
- High impact-resistance characteristics
- Open area of panels range from 2.5% to 35% nominally



Technical details

Refer to:

1. Product Technical Statement
2. Installation Details / Manual
3. Product MSDS





Planet Acoustics & Architecture are manufacturers of Prefinished cladding, Acoustic/Decorative ceilings, Feature walls and on site solution providers based locally in Perth WA.

We offer a full service including installation, from project inception to completion, cradle to grave, Our team of consultants are interacting directly with your team to bring your vision to life

Ensuring quality and excellence throughout the entire build cycle and beyond working with building management/owners to ensure continued satisfaction for you and your clients.

Please do not hesitate to contact us on 0433 486 499 for further information, samples or to book a tour of our facility.



PAA Product Range:

ThruColor® CFC

LumiClad Graphics Range ® CFC

LumiClad® CFC

LumiLux® FC

SonaBreak®

PAA Timber Slats

WoodEdge® Panels

PAA Metals Range

AluWood® (Aluminum Wood Cladding)

SoundWood® (woodwool panels)

Alu Loop ®

PolyPanel®(Acoustic Fabric)

PAA Rockwool

Anti-Flame® Sarking

Rain Shield® (rain barrier)

Flame Shield® (Non-comustable wall lining)



Proudly 100%
**WEST AUSTRALIAN
OWNED & OPERATED**



New Factory & Showroom.
60 Belmont Avenue
Rivervale 6013

Tel: +61 8 6885 5300

Mobile 0433 486 499

www.paa.net.au

Email: enquiries@paa.net.au

